

VogueWall®

With designer looks and practical versatility, VogueWall is our most popular wall.



About VogueWall®

VogueWall® is our masonry-alternative modular wall with the versatility to make any design a reality. Designed to closely mirror the dimensions of a rendered masonry wall with piers, it offers a world of design potential, whilst its applicational versatility makes it the perfect all-rounder.

VogueWall® has proven acoustic properties, incorporating AcoustiMax 75® wall panels for privacy, peace and quiet. Our proprietary VogueWall® post has a robust design, making it suitable for a tall fence and front feature fence. It offers endless design possibilities with the incorporation of lights, gates and slat infills.





Features:

- Proven acoustic performance
- Affordable masonry-alternate solution
- Light-weight modular construction for quick installation
- Customisable
- · A fence with retaining capacity

Applications:

- · Boundary walls
- Acoustic fence
- Tall front walls
- Feature walls
- Retaining walls

07202

Specifications:

Panel Types	Standard - AcoustiMax® 75mm Density: 15.49 kg/m² Retaining - TerraFirm® 75mm Density: 25.88 kg/m²
Panel Height (mm)	600/900/1200
Panel Length (mm)	2400/3000
Panel Thickness (mm)	75
Wall Height	Up to 3.0m without retaining
Retaining Height	750mm (2.5 kPa surcharge live loads)
Post (mm)	250x150 - Galvanised Steel
Post Centres (mm)	2600 - 3200 With retaining: 2600
Post Top	Flush / External - Galvanised Steel
Wall Capping	Flush / External - Galvanised Steel
Joining Profile	Standard / Express
Wind Regions	A, B & C

Write Your Specification:


Wall Style: VogueWall® with (Standard / Express) joints, (Flush / External) post tops and (Flush / External) wall capping

Post centres: 2600 - 3200mm

Wall to have a minimum density of 15.49kg/m2 with Rw 28 dB.

Refer to ModularWalls installation guidelines.

VogueWall® Exploded View:



- 1. End Post Infill
- 2. Post Top
- 3. VogueWall® Post
- 4. Support Bracket
- 5. Wall Capping
- **6.** AcoustiMax® Panel
- 7. Joining Profile
- 8. AcoustiMax®Panel /
 TerraFirm® Retaining Panel
- 9. Bottom Capping

VogueWall® Post and Panel Capping Options:



Flush post and panel capping



External post and flush panel capping



External post and panel capping



Flush post and external panel capping


Panel Joining Options:



Standard Joint

Express Joint

Ancillary Options:



The system will accept any self-priming acrylic paint. Each neighbour can finish their side to reflect their individual style and colour theme.



Tiling your wall or just a particular section can add an excellent feature or statement to your ModularWalls.



Add a designer edge to any wall, with varying height slat or infill options.



The wall panels have internal recesses to accept concealed cables for lighting or intercom style requirements.



Incorporate most styles of letterboxes or utilise our own Stainless Steel faced modular box.



The system will accept any self-priming acrylic paint. Each neighbour can finish their side to reflect their individual style and colour theme.